

AD-A063 075

UNION CARBIDE CORP TARRYTOWN N Y

F/G 11/9

ORGANOSILANE POLYMERS. II. COPOLYMERS OF ETHYLMETHYL- AND METHY--ETC(U)

DEC 78 J P WESSON, T C WILLIAMS

N00014-75-C-1024

UNCLASSIFIED

TR-78-1

NL


/ OF |

AD
A063075



END
DATE
FILMED

3--79
DDC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ADA063075

DDC FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS
BEFORE COMPLETING FORM

1. REPORT NUMBER (M) TR-78-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER SC
4. TITLE (and Subtitle) Organosilane Polymers, II. Copolymers of Ethylmethyl- and Methylpropylsilylenes With Dimethylsilylene.	5. TYPE OF REPORT & PERIOD COVERED Technical rept.	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) J.P./Wesson and T.C./Williams	8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-1024	9. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
10. PERFORMING ORGANIZATION NAME AND ADDRESS Union Carbide Corporation Tarrytown, New York	11. CONTROLLING OFFICE NAME AND ADDRESS Chemistry Branch Office of Naval Research - Arlington, Virginia 22217	12. REPORT DATE December 1978
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) (12) 25p.	14. SECURITY CLASS. (of this report) Unclassified	15. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report): Technical Report Distribution List This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted to J. Polymer Science		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Silanes Polysilanes Organopolysilanes Ethylmethylsilylene Methylpropylsilylene Dimethylsilylene		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Random copolymers of ethylmethyl- and methylpropylsilylenes with dimethylsilylene prepared by alkali metal coupling of chloro-silanes were found to have improved solvent solubilities. Some copolymers soluble at ambient temperatures in common solvents were obtained but crystallization behavior was not substantially altered.		

DD FORM 1473 1 JAN 73 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

387 623 78 12 20 020

Office of Naval Research

Contract N-00014-75-C-1024
Technical Report No. 78-1

Organosilane Polymers, II: Copolymers of
Ethylmethyl- and Methylpropylsilylenes With Dimethylsilylene

by

J.P. Wesson and T.C. Williams

Union Carbide Corporation
Tarrytown, New York 10591

December 1978

78 12 20 020

INTRODUCTION

Poly(diorganosilylene) higher polymers have received previous attention only as by-product poly(dimethylsilylene) which was found useful as an intermediate in the preparation of cyclic dimethylsilylenes^(1,2,3) and more recently as linear higher polymers of dimethylsilylene⁽⁴⁾. The poly(dimethylsilylene) higher polymers are high melting and largely crystalline. They are only soluble at temperatures above about 200°C and are not thermoformable below their decomposition temperatures.

Since one of our goals has been to obtain tractable silylene polymers that are conveniently soluble or thermoformable, we have examined various kinds of copolymers of dimethylsilylene with other diorganosilylenes. This approach stemmed in part from the observation that in some crystalline or crystallizable polymers, the introduction of a few bulky side groups can interfere with chain packing processes thereby depressing crystallization rates and enhancing solubility and thermoforming qualities⁽⁵⁻¹²⁾. We report here on the effects of replacing methyl groups with ethyl and propyl groups in random copolymers of dimethylsilylene with ethyl methyl- and methylpropylsilylenes.

ADDRESS ONLY
NAME _____
DOB _____ SEX _____
MARITAL STATUS _____
CITY _____ STATE _____ ZIP _____
COUNTRY _____
TELEPHONE _____
FAX _____
E-MAIL _____
PREFERRED METHOD OF CONTACT _____
SPECIAL _____

A

EXPERIMENTAL

Monomers

Dimethyldichlorosilane (DMDCS) monomer was purified by treatment with diethyl ether and distillation as described earlier⁽⁴⁾. Ethylmethyldichlorosilane (EMDCS) and methylpropyldichlorosilane (MPDCS) were fractionally distilled under dry nitrogen through a vacuum jacketed column (2.0 x 45.cm) packed with perforated lime glass beads (0.4 cm diam.). Distillation rate was 60 mL hr⁻¹ with about 20:1 reflux ratio. Foreruns up to 100°C for EMDCS and up to 125°C for MPDCS were discarded. Product cuts distilling at 100-100.5°C (EMDCS) and 125-125.5°C (MPDCS) were collected and stored under dry nitrogen. After distillation the EMDCS and MPDCS monomers were found to be chromatographically pure.

Copolymers

Random copolymers were prepared by sodium metal dechlorination of mixtures of DMDCS with EMDCS or MPDCS using the methods and precautions previously described⁽⁴⁾. Monomer charges and copolymer yields for typical polymerizations are given in Table I. Copolymers of DMDCS and EMDCS were insoluble in the octane reaction solvent and were recovered directly by filtration. Copolymers of DMDCS and MPDCS ranged from partially to completely soluble in the reaction solvent and were recovered in three fractions:

- a) copolymer insoluble in the octane reaction solvent was isolated by filtration,
- b) copolymer soluble in octane was stripped of solvent, taken up in THF (100mL) and precipitated by dropwise addition to acetone (300 mL) and dried,
- c) copolymer which remained soluble in THF-acetone was solvent stripped to yield viscous oil.

Analytical Methods

Infra-red absorption spectra on the various polymers were obtained with equipment and methods described earlier⁽⁴⁾. Spectra for ethylmethyl- and methylpropylsilylene homopolymers are given for reference in Figures 1 and 2, and absorption band assignments are shown in Tables 2 and 3. Copolymer spectra appeared as typical combinations of the spectra for dimethyl-, ethylmethyl- and methylpropylsilylene homopolymers. Copolymer compositions were calculated from infra-red spectra using absorbances of the 1245cm^{-1} (CH_3Si), 1455cm^{-1} ($\text{C}_2\text{H}_5\text{Si}$) and 1460cm^{-1} ($\text{n-C}_3\text{H}_7\text{Si}$) bands^(13,14). Solubilization and precipitation temperatures of the copolymers in perhydrofluorene were determined as described earlier⁽⁴⁾. Molecular weights of polymers insoluble at moderate temperatures were obtained by infra-red methods⁽⁴⁾. Molecular weights of conveniently soluble copolymers were obtained on toluene solutions with a Knauer Vapor Pressure Osmometer at 35 and 65°C; toluene solutions of dodecamethylcyclohexasilane were used as molecular weight references.

RESULTS AND DISCUSSION

Copolymerizations were done by adding chlorosilane monomer mixtures dropwise to sodium metal dispersed in hot, stirred n-octane. The reactions are fast and very exothermic. Suitable precautions are essential to maintain a controlled reaction sequence⁽⁴⁾. The two series of copolymers behave differently during the reaction period. DMS-EMS copolymers were all readily recovered by filtration and worked up to finely divided white powders. With the DMS-MPS system, copolymer solubility in the reaction solvent increased with MPS concentration and it became necessary to recover the products in fractions as described in the Experimental Section. As EMDCS concentration in the monomer mixture is increased, the total yield of copolymer drops steadily to a minimum at about 80 mole-% and then increases somewhat thereafter, Figure 3. In contrast, DMS-MPS copolymer yields are relatively steady at about 65-75% across the composition range. Increased reaction times do not significantly increase yields and part of the sodium metal remains unreacted. Visual inspection of the residual metal suggests that some part of the copolymer coats the metal surface and may then inhibit further reaction. High shear agitation that could scour the metal surface might alter this situation but has not yet been tried. Plots of monomer vs copolymer composition (Figures 4 and 5) indicate that both EMDCS and MPDCS react more slowly than DMDCS particularly at concentrations above about 20 mole %.

Molecular weights were measured as described on the various total polymers and fractions but no significant trends against composition or other experimental variables were noted. In general, \bar{M}_n for the higher polymers varied over the range of 25,000 to 50,000 except for the EMS homopolymer which appeared to be in excess of 100,000.

Solubilization tests were made on octane insoluble copolymers in which the temperatures for complete solution (T_s) and precipitation (T_p) were measured for 2 wt % solutions of copolymer in perhydrofluorene, one of the best solvents for the parent DMS homopolymer so far encountered. Solution and precipitation of the copolymers occurs rather sharply and is generally reproducible within two or three degrees. In the DMS-EMS system, solution temperature (T_s) (Figure 6) decreases rapidly as EMS in the copolymer increases up to about 25 mole % and thereafter decreases slowly to a minimum at about 65 mole %. With DMS-MPS copolymers, the decrease in T_s is also initially very rapid and the extent of depression even more pronounced. At MPS concentrations above about 10 mole %, the copolymers become soluble at ambient temperatures and below and these compositions also become quite soluble in common solvents such as toluene, Figure 7. Thus, silylene copolymers that are soluble at convenient temperatures can be obtained by modifying the parent poly(dimethylsilylene) with relatively small proportions of EMS or MPS units. However, the lack of any significant increase in the solution-precipitation temperature difference ($T_s - T_p$) suggests that neither the ethyl or propyl group has had any substantial effect on crystallization of the copolymers. This is further borne out in the observation that the copolymers precipitate abruptly from the cooling solution as fine powders with no appreciable tendency for coherent film formation.

To obtain further insight on the effects of structural modifications on copolymer solubility and crystallization a number of block copolymers and short chain branched copolymers are being examined and will be described in future reports.

This work was supported in part by the Office of Naval Research.

REFERENCES

1. H. Gilman, R.A. Tomasi, J. Org. Chem., 28, 1651 (1963)
2. M. Kumada, K. Tames, Adv. Organometal. Chem., 6, 49, 65 (1968)
3. E. Carberry, R. West, J. Amer. Chem. Soc., 91, 5440 (1969)
4. J.P. Wesson, T.C. Williams, J. Polym. Sci., Polym. Chem. Ed., in press
5. D.J. Fischer, J. Appl. Polym. Sci., 5, 436 (1961)
6. M.J. Richardson, P.J. Flory, J.B. Jackson, Polymer, 4, 221 (1963)
7. J.B. Jackson, P.J. Flory, Polymer, 5, 159 (1964)
8. S.N. Borisov, V.A. Marei, Kauchuk i Rezina, 23, 1 (1964)
9. N. Ueda, Kobunshi Kagaku, 22, 1 (1965)
10. S.N. Borisov, Kauchuk i Rezina, 25, 3 (1966)
11. Godovskii, Y.K., Vyskomol. Soedin., Ser. A, 11, 2129 (1969)
12. Marei, A.I., Petrova, G.P., Novikova, G.E., Kuryland, S.K., Fiz. Svoistva Elastomerov, 77, 132 (1975)
CA 84:75376v

13. A.L. Smith, Spectrochim. Acta, 16, 87 (1960)
14. L.J. Bellamy, Infra-Red Spectra of Complex Molecules,
3rd. Ed., Chapman and Hall, London (1975)

Table 1 Dimethylsilylene Copolymers

Table 2 Infra-Red Absorptions of Poly(ethylmethysilyene)

Table 3 Infra-Red Absorptions of Poly(propylmethysilylene)

- Figure 1 Infra-Red Absorption Spectrum Poly(dimethyl-co-ethylmethysilylene)
- Figure 2 Infra-Red Absorption Spectrum Poly(dimethyl-co-methylpropysilylene)
- Figure 3 Poly(dimethyl-co-ethylmethysilylene) Copolymer Yields
- Figure 4 Monomer-Copolymer Composition Poly(dimethyl-co-ethylmethysilylene)
- Figure 5 Monomer-Copolymer Composition Poly(dimethyl-co-propylmethysilylene)
- Figure 6 Solution and Precipitation Temperatures of Poly(dimethyl-co-ethylmethysilylene) in Perhydrofluorene (2 wt % Solutions)
- Figure 7 Solution and Precipitation Temperatures of Poly(dimethyl-co-methylpropysilylene) in Perhydrofluorene (2 wt % Solutions)

TABLE 1
DIMETHYLSILYLENE COPOLYMERS

<u>Monomer Charged (Mole-%)</u>	<u>Copolymer Yield (wt-%)</u>	<u>Copolymer Composition (Mole-%)</u>
EMDCS:		EMS:
20	74	17
30	67	22
45	48	24
60	44	27
80	23	66
100	74	100
MPDCS:		MPS:
10	73	8
30	66	20
50	67	41
80	46 ⁽¹⁾	58
100	78	100

1. Accidental Losses in Work-Up

TABLE 2
INFRA-RED ABSORPTIONS OF
POLY(ETHYLMETHYLSILYENE)

<u>Absorption (cm⁻¹)</u>	<u>Assignment</u>
(3450)	(H ₂ O Stretch)
2950 }	CH Stretch
2930 }	
2890 }	
2870 }	
1455	CH ₃ ← C) Deformation (a)
1420	CH ₃ (Si) Deformation (a)
1375	CH ₃ (C) Deformation (s)
1245	CH ₃ ISi) Deformation (s)
1065	SiOSi
1005	SiCH ₂ CH ₃
935	SiCH ₂ CH ₃
775 }	SiC Stretch
740 }	
690 }	CH ₂ Rocking
670 }	
650 }	EtMeSi Rocking
610 }	

TABLE 3
INFRA-RED ABSORPTIONS OF
POLY(PROPYLMETHYLSILYLENE)

<u>Absorption (cm⁻¹)</u>	<u>Assignment</u>
(3450)	(H ₂ O Stretch)
2950 } 2920 } 2890 } 2870 }	CH Stretch
(1630)	(H ₂ O Overtone)
1460	-CH ₂ -(C) Deformation (a)
1450	CH ₃ -(C) Deformation (a)
1415	CH ₃ -(Si) Deformation (a)
1375	CH ₃ (C) Deformation (s)
1325	CH ₂ -(C) Deformation (s)
1245	CH ₃ (Si) Deformation (s)
1065 (s)	SiCSi
1060	CH ₃ CH ₂ CH ₂ Si
985	CH ₃ CH ₂ CH ₂ Si
790 } 745 }	SiC Stretch
710	CH ₂ Rocking
660	MePrSi Rocking

(s) Shoulder




Figure 1.
INFRA-RED ABSORPTION SPECTRUM
POLY (DIMETHYL-Co-ETHYLMETHYLSILYLENE)




Figure 2.
INFRA-RED ABSORPTION SPECTRUM
POLY (DIMETHYL-co-METHYLPROPYLSILYLENE)




Figure 3.
POLY (DIMETHYL-Co-ETHYLMETHYLSILYLENE)
COPOLYMER YIELDS




Figure 4.
MONOMER-COPOLYMER COMPOSITION
POLY (DIMETHYL-Co-ETHYLMETHYLSILYLENE)




Figure 5.
MONOMER-COPOLYMER COMPOSITION
POLY (DIMETHYL-Co-PROPYLMETHYLSILYLENE)




Figure 6.
SOLUTION AND PRECIPITATION TEMPERATURES
OF POLY (DIMETHYL-Co-ETHYLMETHYLSILYLENE)
IN PERHYDROFLUORENE (2 WT % SOLUTIONS)




Figure 7.
SOLUTION AND PRECIPITATION TEMPERATURES
OF POLY (DIMETHYL-Co-METHYLPROPYLSIYLENE)
IN PERHYDROFLUORENE (2 WT % SOLUTIONS)

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217 Attn: Code 472	2	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1	U.S. Army Research Office P.O. Box 1211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	1	Naval Weapons Center China Lake, California 93555 Attn: Dr. A. B. Amster Chemistry Division	1
ONR Area Office One Hallidie Plaza, Suite 601 San Francisco, California 94102 Attn: Dr. P. A. Miller	1	Naval Civil Engineering Laboratory Port Hueneme, California 93401 Attn: Dr. R. W. Drisko	1
ONR Branch Office Building 114, Section D 666 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Professor K. E. Woehler Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (R,E&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217 Attn: Dr. Richard S. Miller	1
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1	Naval Ship Research and Development Center Annapolis, Maryland 21401 Attn: Dr. G. Bosmajian Applied Chemistry Division	1
		Naval Ocean Systems Center San Diego, California 91232 Attn: Dr. S. Yamamoto, Marine Sciences Division	1

Encl 1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. T. C. Williams Union Carbide Corporation Chemical and Plastics Tarrytown Technical Center Tarrytown, New York	1	Douglas Aircraft Company 3855 Lakewood Boulevard Long Beach, California 90846 Attn: Technical Library CI 290/36-84 AUTO-Sutton	1
Dr. R. Soulen Contract Research Department Pennwalt Corporation 900 First Avenue King of Prussia, Pennsylvania 19406	1	NASA-Lewis Research Center 21000 Brookpark Road Cleveland, Ohio 44135 Attn: Dr. T. T. Serafini, MS 49-1	1
Dr. A. G. MacDiarmid University of Pennsylvania Department of Chemistry Philadelphia, Pennsylvania 19174	1	Dr. J. Griffith Naval Research Laboratory Chemistry Section, Code 6120 Washington, D.C. 20375	1
Dr. C. Pittman University of Alabama Department of Chemistry University, Alabama 35486	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. H. Allcock Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802	1	Dr. E. Fischer, Code 2853 Naval Ship Research and Development Center Annapolis Division Annapolis, Maryland 21402	1
Dr. M. Kenney Case-Western University Department of Chemistry Cleveland, Ohio 44106	1	Dr. Martin H. Kaufman, Head Materials Research Branch (Code 4542) Naval Weapons Center China Lake, California 93555	1
Dr. R. Lenz University of Massachusetts Department of Chemistry Amherst, Massachusetts 01002	1	Dr. J. Magill University of Pittsburgh Metallurgical and Materials Engineering Pittsburg, Pennsylvania 22230	1
Dr. M. David Curtis University of Michigan Department of Chemistry Ann Arbor, Michigan 48105	1	Dr. C. Allen University of Vermont Department of Chemistry Burlington, Vermont 05401	1
Dr. M. Good University of New Orleans Department of Chemistry Lakefront New Orleans, Louisiana 70122	1	Dr. D. Bergbreiter Texas A&M University Department of Chemistry College Station, Texas 77843	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

No.
Copies

Professor R. Drago
Department of Chemistry
University of Illinois
Urbana, Illinois 61801

1

Dr. F. Brinkman
Chemical Stability & Corrosion
Division
Department of Commerce
National Bureau of Standards
Washington, D.C. 20234

1